

P
O
L
I
R
O
N



POLIRON



PC HOLLOW PROFILE SHEET

CHARACTER

- ◆ Rigidity
- ◆ Impact Resistant
- ◆ Weather Resistant
- ◆ Light Weight
- ◆ Light Transmission
- ◆ Heatproof and Soundproof



PC CRYSTAL SHEET

CHARACTER

- ◆ New Generation PC Hollow Profile Sheet
- ◆ Crystal Glass Design
- ◆ Special Vision of Glittering
- ◆ Convenient Installation of Plastic Glass

SPECIFICATION OF PC HOLLOW PROFILE SHEET AND PC CRYSTAL SHEET

THICKNESS:

4mm(2W), 5mm(2W), 6mm(2W), 8mm(2W), 10mm(2W) **MAX WIDTH: 2100mm**
10mm(3W), 16mm(3W) **MAX WIDTH: 1210mm**



PC STRIPE SHEET

CHARACTER

- ◆ Clear Line Structure
- ◆ Even Light Diffusion
- ◆ Patent Design

SPECIFICATION OF PC STRIPE SHEET

THICKNESS:

4mm(2W), 6mm(2W) **MAX WIDTH: 1210mm**

INSTALLATION & MAINTENANCE

1. Please follow correct installation instruction to avoid any sheet-damaging or sheet-cracking.
2. Do not place sheet directly on concrete floors or walls to avoid any chemical reaction which may cause sheet-cracking.
3. Use only neutral silicone. PVC material is strictly prohibited.
4. Use only neutral solvent to clean the sheet.
5. Do not expose the sheet to rain or sun.
Rain may condense and heat may make the PE film sticky and hard to be taken off.





PCL101 CLEAR




POW102 OPAL



PBL103 BLUE



PLBL104 LIGHT BLUE




GB105 GREENISH BLUE



PBR106 BRONZE



PGR107 GRAY



PGR108 GREEN



PPI109 PINK



PRE110 RED



POR111 ORANGE




PYE112 YELLOW



PCL201 CLEAR




PBL202 BLUE



PLBL203 LIGHT BLUE



PGB204 GREENISH BLUE



PBR205 BRONZE



PGR206 GRAY



PGR207 GREEN



PRE208 RED



POR209 ORANGE



PYE210 YELLOW



PGD401 GOLD



PSV402 SILVER